

Tomorrow's Technology Today



Low Voltage Electronic Specialist

TIPS FOR VIEWING THIS PRESENTATION:

1. Take advantage of the built-in **Table of Contents** by clicking on the **palette icon** (show/hide navigation pane) located just to the right of the printer icon. Or you can go up to **WINDOW...** then select **Show Bookmarks**.
2. After selecting from the menu on the left, click on the palette icon once more and the selected section will open full screen for easy viewing.
3. To go to a website on the Internet from this pdf file, right click on the web or email address, then select **"Open Weblink in Browser"**.



Triple Channel Modulator Hub



Triple Modulator Hub

The triple modulator hub is used for creating in-home television channels that can be viewed from any TV in the house. Signals from three different audio/video sources such as TV's, VCRs, DVDs, satellite TV, laser disk players and surveillance cameras can be identified and viewed on any TV in the house. One is included with your system. A second Hub would be required to modulate signals from one or more cameras. The maximum capacity per triple modulator is **three** cameras. Part No. **HBMD**

This modulator Hub mounts in any SuperPro™ or Pro™ series panel.



Triple Channel Modulator Module

This modulator Module mounts in any QuickNetworks™ series panel.

Part No. **MDMD**

Contact Us@



www.aicorp.net

sales@aicorp.net

(808) 722-8677