

Tomorrow's Technology Today



Low Voltage Electronic Specialist

TIPS FOR VIEWING THIS PRESENTATION:

1. Take advantage of the built-in **Table of Contents** by clicking on the **palette icon** (show/hide navigation pane) located just to the right of the printer icon. Or you can go up to **WINDOW...** then select **Show Bookmarks**.
2. After selecting from the menu on the left, click on the palette icon once more and the selected section will open full screen for easy viewing.
3. To go to a website on the Internet from this pdf file, right click on the web or email address, then select **"Open Weblink in Browser"**.



Coax Video Distribution Hub



5 In, 8 Out Coax Video Distribution Hub

Distributes modulated signals from DVDs, VCRs, DBS Satellite receivers, security cameras and Oceanic cable. All video sources can be individually selected and appear on any television in the home. The standard unit allows five source inputs and delivers video to eight zones. Part # **HBC-408B**

SPECIFICATIONS

Color	white
Shipping Weight	4.33 lbs.
Mounting	Mounts in all SuperPro™ and Pro™ series panels
Inputs	1 input for TV/Oceanic, 4 inputs for modulated signals
Surge Protection	Yes
Outputs	8
Amplifier	20dB bi-directional



5 In, 8 Out Coax Video Distribution Module

Distributes modulated signals from DVDs, VCRs, DBS Satellite receivers, security cameras and Oceanic cable. All video sources can be individually selected and appear on any television in the home. The standard unit allows five source inputs and delivers video to eight zones. Part # **MDC-408**

Contact Us@



www.aicorp.net

sales@aicorp.net

(808) 722-8677